

SOMO[®]

audio/video & more...

Cables are manufactured strictly in accordance with the appropriate GB (China) Standard Specifications and to IEC, CE and UL standards and are approved by the relevant Classifications Institutions. Full traceability is maintained by strict adherence to quality policies compliant with ISO9001/2, whilst environmental policies will be maintained by compliance with ISO14001 in no time.



QUALITY YOU TRUST

HDMI CABLE VER 2.1 8K



COMING SOON

SOMO SH8201 / 1.2M

8K ULTRA HD

HDMI Ultra High Speed HDMI Cable with Ethernet

8K 60 Hz
48 Gbps
7680 x 4320 Resolution
3D Visual effects
GOLD Plated Plug
RGB 4:4:4
HDR Video
5Earc Audio Return



8K ULTRA HD
 HDMI PLUG TO HDMI PLUG
SH 8201 1.2m
SH 8202 2.0m




HDMI CABLE 4K



HDMI PLUG TO HDMI PLUG

SH 2201 1.2m
SH 2202 2.0m
SH 2203 3.0m
SH 2205 5.0m



HDMI PLUG TO HDMI PLUG

SH 2210 10.0m
SH 2215 15.0m
SH 2220 20.0m

OPTICAL CABLE



TOSLINK DIGITAL AUDIO CABLE

SA 3301 1.2m
SA 3302 2.0m
SA 3303 3.0m

AUDIO CABLE



3.5MM STEREO PLUGS TO 2 X RCA PLUGS

SR 5518 1.8m
SR 5519 3.5m

RCA CABLE



2 X RCA PLUGS TO 2 X RCA PLUGS

SR 1202 **SR 1205**
 2.0m 5.0m

2 X RCA PLUGS TO 2 X RCA PLUGS
 W/GND WIRE
SR 1206
 5.0m

3 X RCA PLUGS TO 3 X RCA PLUGS
SR 1302
 2.0m

AUX CABLE



3.5MM STEREO ANGEL PLUG TO
 3.5MM STEREO PLUG
SR 5528
 1.8m



3.5MM STEREO PLUGS TO
 3.5mm STEREO PLUGS
SR 5525
 1.8m

AUX EXT CABLE



3.5MM STEREO PLUG TO
 3.5MM STEREO JACK
SR 5522 **SR 5523**
 2.0m 4.5m

ANTENNA CABLE



ANTENNA TO TV OR VIDEO
SA 7022 **SA 7023** **SA 7025**
 2.0m 3.0m 5.0m

USB CABLE



USB A MALE TO USB B MALE

SU 311 1.8m **SU 313** 3.0m **SU 315** 5.0m



MICRO USB CABLE

SU 501 0.2m **SU 502** 1.2m



USB A MALE TO USB A MALE

SU 318 1.8m



USB A MALE TO USB A FEMALE

SU 319 1.8m

TYPE C CABLE



USB A MALE TO TYPE C MALE

SU 600 1.0m

LAN CABLE



CAT6 PATCH CORD CABLE

SL 601 1.0m **SL 602** 2.0m **SL 603** 3.0m

AUDIO & VIDEO CABLE



3RCA PLUG - 3RCA PLUG
SM 402
 1.8m




3.5 ST PLUG - 3.5 ST JACK
SM 405
 3.5m

LCD CLEANER



LCD/ LED/ TABLET CLEANER
SM 450
 200ml

SPEAKER CABLE



OFC TRANSPARENT SPEAKER WIRE
SP 21100
 19 AWG/100 CORES
 100m



OFC TRANSPARENT SPEAKER WIRE
SP 22100
 15 AWG/200 CORES
 100m



OFC TRANSPARENT SPEAKER WIRE
SP 23100
 13 AWG/300 CORES
 100m

ACTIVE HD DIGITAL ANTENNA



DVB-T 3012

Frequency Range	470-790MHZ
Receiving Range	UHF
Antenna Gain	28dB
Max.Output level	100dBuV max
Impedance	75
Noise Figure	<3dB
Power Supply	Via AC/DC adapter (DC6V/100mA) or DTV set-top box (Dc5V/40mA)
ACTIVE	



DVB-T 3013

Frequency Range	470-790MHZ
Receiving Range	UHF
Antenna Gain	28dB
Max.Output level	100dBuV max
Impedance	75
Noise Figure	<3dB
Power Supply	Via AC/DC adapter (DC6V/100mA) or DTV set-top box (Dc5V/40mA)
ACTIVE	





DVB-T 3011

Frequency Range	470-862MHZ 87.5-230MHZ
Receiving Range	UHF/VHF
Antenna Gain	3-5dB
Impedance	75Ω
Power Supply	Passive



DVB-T 3014

Frequency Range	VHF 87.5-230MHZ UHF 470-862MHZ
Receiving Range	FM/UHF/VHF
Antenna Gain	5-7dB Max
Impedance	75Ω
Power Supply	passive



DVB-T 3015

Frequency Range	VHF 87.5-230MHZ UHF470-862MHZ
Receiving Range	FM/UHF/VHF
Antenna Gain	4-6dB
Impedance	75Ω
Power Supply	passive



DVB-T 3016

Frequency Range	470-862MHZ 87.5-230MHZ
Receiving Range	UHF/VHF
Antenna Gain	3-5dB
Impedance	75Ω
Power Supply	passive



DVB-T 3018

Frequency Range	470-862MHZ
Receiving Range	UHF
Antenna Gain	4-6dB
Impedance	75Ω
Power Supply	passive



DVB-T 3019

Frequency Range	VHF 174-230MHZ UHF470-862MHZ
Receiving Range	UHF/VHF
Antenna Gain	1-3dB
Impedance	75Ω
Power Supply	passive

DESKTOP SOCKET

COMING SOON

Desktop Socket

ST-215S



Desktop Socket

ST-210B



REMOTE HOLDER

COMING SOON

Remote Control Holder
SRH-10

SOMO SRH-10

REMOTE CONTROL HOLDER



Material: ABS
 Compartments: 5
 Holder Size: 13.6 x 11.6 x 9 cm



CABLE ORGANIZER

COMING SOON

Cable Organizer Station
SC - 001



MOBILE MULTI CHARGER



WITH 2 USB PORTS

SM 200

Keep your socket available a unique device for charging your smartphone & tablet (Apple/Android/Window/Blackberry/Samsung/HTC...) while keeping a 16A outlet for powering your home appliances.



UNIVERSAL TRAVEL ADAPTOR

COMING SOON



UNIVERSAL ADAPTOR WITH SURGE PROTECTOR/LED LIGHT
SM100 B/G/R/BL/GN/W
Importance

This adaptor plug does not convert voltage. If your appliance is dual voltage, it must be switched to the correct voltage for that country.

Specification
European 2-prong with Earth $\varnothing 4.8\text{mm} \times 2$
Voltage 220V - 240V
Rated Current 10A~16A
LED Voltage Indicator
CE Approval



UNIVERSAL ADAPTOR WITH SURGE PROTECTOR/LED LIGHT
SM 111
Importance

This adaptor plug does not convert voltage. If your appliance is dual voltage, it must be switched to the correct voltage for that country.

Specification
UK 3-PRONG WITH EARTH
Voltage 220V - 240V
Rated Current 10A~16A
LED Voltage Indicator
CE Approval



COMING SOON

VOLTAGE PROTECTOR

SM515
Voltage & Surge Protector



SM516
DIGITAL
Voltage & Surge Protector



SOLDERING IRONS



Soldering Iron with mica heater long life tip
SM 130
30W



Soldering Iron with mica heater long life tip
SM 140
40W



Soldering Iron with mica heater long life tip
SM 160
60W



Soldering Iron fast heating with cover cap
SM 119
20-130W



Soldering Iron fast heating with cover cap
SM 120
20-200W



Soldering Iron with ON/OFF Switch
SM 121
40W



Soldering Iron with 4 LED light with ON/OFF Switch
SM 114
40W



Soldering Iron with LED light
SM 122
40W



Soldering Iron fast heating with Sharp Tip
SM 220
20W



New

SM132
Soldering Iron With Cigarette Lighter Plug for car use
40W



New

SM134
DIY Heating Tool
10 - 20W (max)



New

SM400
Dual Wattage Wood Burning Pen Set
40W



A perfect tool for craft users with 26 tips



SOLDERING STATION

SM 110
 48W/200 - 450 °
 Digital soldering with temperature control this soldering station



Digital soldering with temperature control this soldering station is equipped with a soldering irons for working on delicate electronic components. With the multifunction display and the preselect buttons, temperature easily can be set from 150°, 300°, 400°) are preset and can be set with the push of a button. In case of a malfunction, you will be alerted by a warning sound.

SM 272
 48W/200° - 450°
 Digital soldering with temperature control this soldering station



SOLDERING TOOL KIT

SM 300
 4-PIECE ELECTRONIC TOOL KITS



SM 301
 12-PIECE ELECTRONIC TOOL KITS



SM 126
 12-PIECE ELECTRONIC TOOL KITS



HOT GLUE GUN

SM 105
 Glue Gun
 40W



SM 106
 Glue Gun
 15W



SM 135
 60W (MAX 280W)
 Industrial Glue Gun



New

MAGNIFYING LAMP

LED MAGNIFYING LAMP (3W)

SM 104



LED MAGNIFYING LAMP (3W)

SM 172



DESK MOUNT MAGNIFIER LAMP (22W)

SM 173



New

DESOLDERING PUMP

DESOLDERING PUMP WITH STRONG SUCTION

Small

SM 101



DESOLDERING PUMP WITH STRONG SUCTION

Medium

SM 128



DESOLDERING PUMP WITH STRONG SUCTION

Large

SM 129



VACUUM SUCTION PEN


SM 127



New

SOLDERING STAND


SM 109
CIRCUIT BOARD CLAMPING KIT



SM 102
SOLDERING IRON STAND WITH SPONGE



SM 103
SOLDERING IRON STAND WITH SOLDERING WIRE FEEDER & SPONGE





BIG POWER

SM1150
 with ON/OFF Switch
 50W



BIG POWER

SM1180
 with ON/OFF Switch
 80W



BIG POWER

SM1100
 with ON/OFF Switch
 100W



BIG POWER

SM2150
 with ON/OFF Switch
 150W



BIG POWER

SM2200
 with ON/OFF Switch
 200W



BIG POWER

SM2300
 with ON/OFF Switch
 300W



SM 108
 25-130W
 Soldering gun
 with cover cap



SM 2500
 500W
 BIG POWER
 Soldering Gun
 Ceramic special heat



QUICK HEAT
 SOLDERING GUN
SM 125
 30-60W
 WITH SOLDER WICK FEEDER




SM 3100
 100W
 QUICK HEAD UP
 SOLDERING GUN



SOLDERING ACCESSORIES

SM 123 **New**
Soldering
Accessories
Tools 6 PCS / Pack



SM 124
IC EXTRACTOR



SM 11 SM 12 SM 13 SM 14 SM 15 SM 16
TWEEZERS Accessories



SM 11 Length : 125mm / Width : 11mm	SM 14 Length : 120mm / Width : 10mm
SM 12 Length : 125mm / Width : 9mm	SM 15 Length : 115mm / Width : 9mm
SM 13 Length : 135mm / Width : 9mm	SM 16 Length : 120mm / Width : 9mm



DESKTOP FAN

SM 159
SOLDERING Smoke Absorber
& Bench Fan




SOLDERING TIP CLEANER

SM 107
SOLDERING TIP CLEANER



SOLDER & FLUX

SM 3300
LEAD FREE SOLDER POT
300W



New

SM 138
Soldering Flux Pen



New

DESOLDERING WICK

DESOLDERING WICK WITH WHEEL DISPENSER

SM 115
Width 2.0mm
Length 1.5m



DESOLDERING WICK WITH WHEEL DISPENSER

SM 115-2
Width 1.0mm
Length 1.5m
2 PCS/Pack



DESOLDERING WICK WITH WHEEL DISPENSER

SM 116-2
Width 1.5mm
Length 1.5m
2 PCS/Pack



DESOLDERING WICK WITH WHEEL DISPENSER

SM 117-2
Width 2.0mm
Length 1.5m
2 PCS/Pack



DESOLDERING WICK WITH WHEEL DISPENSER

SM 118-2
Width 2.5mm
Length 1.5m
2 PCS/Pack



New

SOLDER WIRE

Solder Wire 50 gr

New



- SM 504** 50 gr / 0.4mm
- SM 505** 50 gr / 0.5mm
- SM 506** 50 gr / 0.6mm
- SM 508** 50 gr / 0.8mm

Solder Wire 100 gr


New



- SM 604** 100 gr / 0.4mm
- SM 605** 100 gr / 0.5mm
- SM 606** 100 gr / 0.6mm
- SM 608** 100 gr / 0.8mm

Solder Wire 250 gr

New



- SM 708** 250 gr / 0.8mm
- SM 710** 250 gr / 1.0mm
- SM 712** 250 gr / 1.2mm
- SM 715** 250 gr / 1.5mm
- SM 718** 250 gr / 1.8mm
- SM 720** 250 gr / 2.0mm
- SM 725** 250 gr / 2.5mm
- SM 730** 250 gr / 3.0mm



Model No.	Length	Diameter	Power
SM130T	70 mm	3.80 mm	30 W



Model No.	Length	Diameter	Power
SM119T	65 mm	7.2 mm	130 W _(max)



Model No.	Length	Diameter	Power
SM140T	75 mm	4.85 mm	40 W



Model No.	Length	Diameter	Power
SM120T	65 mm	7.2 mm	200W _(max)



Model No.	Length	Diameter	Power
SM160T	80 mm	5.9 mm	60 W



Model No.	Length	Diameter	Power
SM121T	70 mm	3.80 mm	40 W




Model No.	Length	Diameter	Power
SM108T	65 mm	7.2 mm	130W _(max)



Model No.	Length	Diameter	Power
SM122T	65 mm	7.33 mm	40 W



Model No.	Length	Diameter	Power
SM110T	65 mm	7.4 mm	48W _(max)



Model No.	Length	Diameter	Power
SM1150T	80 mm	5.8 mm	150 W



Model No.	Length	Diameter	Power
SM126T	45 mm	3.5 mm	8 W



Model No.	Length	Diameter	Power
SM1180T	90 mm	7.8 mm	80 W



Model No.	Length	Diameter	Power
SM132T	65 mm	7.33 mm	40 W



Model No.	Length	Diameter	Power
SM1100T	101 mm	9.8 mm	100 W



Model No.	Length	Diameter	Power
SM2200T	110 mm	13.80 mm	200 W



Model No.	Length	Diameter	Power
SM2300T	120 mm	16.50 mm	300 W



Model No.	Length	Diameter	Power
SM2150T	98 mm	11.60 mm	150 W



Model No.	Length	Diameter	Power
SM2500T	140 mm	24 mm	500 W



Model No.	Length	Diameter	Power
SM114T	68 mm	3.75 mm	40 W



Model No.	Length	Diameter	Power
SM125T	75 mm	5.8 mm	60W _(max)



Model No.	Length	Diameter	Power
SM3100T	41 mm	1.92 mm	100W _(max)



Model No.	SM272 IRON TUBE
-----------	------------------------



Model No.	Length	Diameter	Power
SM134T	0 mm	0 mm	20 W



Model No.	Length	Diameter	Power
SM220T	43.60 mm	6.45 mm	20 W



SM272T-1



SM272T-2



SM272T-3



SM272T-4



SM272T-5



SM101T



SM101RING



SM128T



SM129T